



Cambridge®

IKO.COM



The Trusted Solution
for a Beautiful Roof.







ARCHITECTURAL

BEAUTY You Can See. QUALITY You Can Feel.

NOW THAT IT'S TIME TO REPLACE YOUR ROOF, WHY TAKE ANYTHING FOR GRANTED? We never do. Since 1951, IKO has been protecting American homes and families just like yours against the elements.

Whether it's elegant and sophisticated or laid-back and casual, or somewhere in-between, **IKO Cambridge® Architectural shingles** come in a wide range of stunning color blends to express your personality, reflect your taste and potentially boost your home's resale value too.

Their modern, laminated two-piece design provides the depth, dimension and texture of genuine wood shakes for an upscale appearance without the upscale price tag. Now unleash your exterior designer and dress up your home with an exciting new look, for less than you might expect.



PERFORMANCE You Can Trust.

- 1 LAMINATE ADHESIVE.** Five strips of our tough, construction-grade adhesive are used to laminate the shim to the tooth.
- 2 BUILT-IN ALGAE RESISTANCE.** Special colorfast granules embedded in the shingles' surface help inhibit the growth of blue-green algae that can cause unattractive black stains, streaks and discoloration.
- 3 CORE STRENGTH.** Our resilient fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with colored granules. It's heavy-duty for exceptional durability and structural integrity.
- 4 EXCEPTIONAL BONDING.** IKO's FastLock® sealant on the shingles' bottom edge gets extra-tacky when activated by the sun's heat. This creates a strong bond to help ensure maximum protection against wind uplift, blow-off and water penetration.

THE IKO ADVANTAGE


Limited Warranty ¹	Limited Lifetime ³
Iron Clad Protection ¹	10 Years (U.S. only)
Limited Wind Warranty ¹	110 mph (177 km/h)
Limited High-Wind Warranty Upgrade ^{1,2}	130 mph (210 km/h)
Blue-Green Algae Resistant ¹	Yes

PRODUCT SPECIFICATIONS⁴


Length	40 7/8 in (1038 mm)
Width	13 3/4 in (349 mm)
Exposure	5 7/8 in (149 mm)
Coverage per Bundle	33 1/3 ft ² (3.1 m ²)
<i>(3 bundles = 1 full square = 100 sq ft coverage)</i>	

STANDARDS⁵

ASTM D3462, ASTM D3018, ASTM D3161 – Class F, ASTM D7158 – Class H, ASTM E108/JUL 790 – Class A.



HARVARD SLATE



EARTHTONE CEDAR



DRIFTWOOD



DOVE WHITE
AVAILABLE IN SELECT MARKETS

IMPORTANT! To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer**® tool may not accurately reflect shingle color and do not fully represent the entire color blend range, nor the impact of sunlight.

Note: Product and color availability may vary by region. Products with Miami Dade NOA, FBC product approval and Texas Department of Insurance listings are available. Please contact IKO for details. ¹See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. ²High-wind application is required. ³Lifetime³ means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the owner owns the building on which the shingles were installed. ⁴All values shown are approximate. ⁵Products are developed with reference to these standards.



COLOR VIDEOS

Shingles are your home's first line of defense, but they protect, perform and look their best installed with the **IKO Proformax Integrated Roofing Accessories** shown below.



DECK PROTECTION	SYNTHETIC UNDERLAYMENT	ROOF STARTERS	CAPPING SHINGLES
-----------------	------------------------	---------------	------------------

1. IKO GoldSeam™ Roof Sealing Tape

- 1a.** Apply where the fascia and eaves meet.
- 1b.** Apply over seams when sealing the deck using synthetic underlayment.

StormShield®

- 1c.** Apply under shingled roofs to help prevent water infiltration due to ice dams and wind-driven rain.

2. Stormtite™

It's IKO's economical synthetic underlayment choice. Stronger than conventional felts, Stormtite installs easily, even in cool weather, due to its light weight. Stormtite is the perfect combination of strength and flexibility.

3. Leading Edge Plus™ or EdgeSeal™

Apply starter shingles with IKO's own high-strength thermally activated sealant or use the double-sided starter roll at eaves and rakes to help ensure wind resistance at that critical first course of shingles.

4. Hip & Ridge 12™

These capping shingles are available in colors that pair with every Cambridge color. Installation is easy, just separate the tapered pieces along the perforation, bend and nail in place. No waste.



To find out more about Cambridge® Architectural shingles or additional IKO products, please talk to an IKO sales representative or a professional roofing contractor, or contact IKO directly.

United States 1-888-IKO-ROOF (1-888-456-7663)
Canada 1-855-IKO-ROOF (1-855-456-7663)





Cambridge[®] *COOL COLORS
+PLUS*  **20+**
SRI

IKO.COM



IKO CAMBRIDGE COOL COLORS PLUS ARCHITECTURAL SHINGLES



Before the first lullaby; before training wheels, summer camps and the big job promotion; ahead of summer vacations and high school graduations – there was one thing that mattered most: safeguarding your family members by providing a roof over their heads.



Many of life's most memorable moments unfold under the UNCOMPROMISING PROTECTION of your roof.

Since 1951, IKO has been there for North American families just like yours, quietly enduring the elements to protect families, homes and everything dear – while providing the luxury of not having to worry.

Now that it's time to replace your roof, don't take it for granted. Keeping your family comfortable and safe is just as important now as ever. And it's important to choose roofing products that not only look great, but also can go the distance. At IKO, four generations of family-owned-and-operated experience go into every product we make. The result? **Beauty you can see. Quality you can feel. And performance you can trust. Because at IKO, it's not just roofing. It's roofing elevated.**



Elevate your home's look and help reduce its carbon footprint.

IKO has the answer for homeowners who want increased solar reflectance¹ yet seek to elevate their home's appearance, its curb appeal and potentially its value—all at an affordable price. IKO Cambridge Cool Colors Plus architectural laminated shingles can boost your roof's solar reflectivity by 25% over the California's Title 24, Part 6, minimum standard of SRI 16 for steep sloped roofs. To achieve an SRI of 20 or greater², IKO embeds surface granules that are specially designed with infrared-reflective pigments to transmit less of the sun's solar energy or radiant heat into your home's attic. This helps keep your home cooler and more energy efficient. How much you can potentially save will depend on your location, climate, HVAC, utility rates and other factors.

¹Solar reflectance is the roof's ability to reflect solar energy. SRI values range from 0 to 100 – and the higher the SRI, the better the roofing material's ability to reduce heat transfer into the home. Solar Reflectance Index (SRI) is calculated by ASTM E1980. ²Shingles with an SRI of 20+ can be used to comply in lieu of meeting the aged solar reflectance and thermal emittance requirements. For further details and to determine if the LA City and County requirements apply to your roof, please check with your local building department or visit the LA County website.

WEATHERWOOD

CRRP PRODUCT ID 1214-0013

HARVARD SLATE

CRRP PRODUCT ID 1214-0012

DUAL BROWN

CRRP PRODUCT ID 1214-0011

GRAPHITE BLACK

CRRP PRODUCT ID 1214-0010



Cambridge Cool Colors Plus Shingles.

Our top-of-the-line COOL COLORS PLUS roofing shingles can provide eye-popping contrast or help your home blend harmoniously into its natural surroundings. Either way, they offer an SRI of 20 or greater, so your energy bill can look more beautiful too.



SAND DUNE

CRRC PRODUCT ID 1214-0008

CANYON OAK

CRRC PRODUCT ID 1214-0009



WEATHERWOOD

Rustic, informal, laid-back.

PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings; brown trim.

HARVARD SLATE

Historic, eloquent, majestic, stately.

PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.

SAND DUNE

Down-to-earth, relaxed, casual.

PERFECT PAIRINGS: Log, wood siding, stone or brick facings; brown or black trim.

CANYON OAK

Welcoming, traditional, handsome.

PERFECT PAIRINGS: Log, wood siding, stone or brick facings; brown or black trim.

DUAL BROWN

Earthy, organic, rustic, laid-back, casual.

PERFECT PAIRINGS: Log, beige stone or brick (especially red) facings, brown trim.

GRAPHITE BLACK

Dramatic, elegant, contemporary.


PERFECT PAIRINGS: Grey, cream or neutral siding, stone or masonry; white, grey or black trim.





IKO Cambridge Cool Colors Plus Architectural Laminated Shingles

These shingles are available in some of our most popular color blends, offer an SRI of 20+ and remain an affordable choice in California locations where local roof reflectance requirements demand an SRI of 16+. If blue-green algae resistance is important in your area, you might opt for the Dual Grey color blend that features IKO's algae resistant granules.



AMBER BURST

CRRR PRODUCT ID 1214-0006



ARCTIC WHITE

CRRR PRODUCT ID 1214-0003

AMBER BURST

Sunny, casual, inviting.

PERFECT PAIRINGS: Log, beige stone or brick facings, brown or white trim.

ARCTIC WHITE

Contemporary, bold, brilliant.

PERFECT PAIRINGS: White, grey or beige siding, stucco, white or grey trim.

DUAL GREY

Upscale, from casual comfort to modern chic.

PERFECT PAIRINGS: White or grey stone, brick or siding; black, white or grey trim.



DUAL GREY⁷

CRRR PRODUCT ID 1214-0002



BEAUTY You Can See.
QUALITY You Can Feel.
PERFORMANCE You Can Trust.

Every shingle in the IKO Cambridge Cool Colors Plus collection series is built heavy-duty. You can see and feel the difference. Touch one. Heft its weight. Feel how the quality is built right in.

Blow-Off Protection.

Printed nail line guides installers to position and fasten the shingles correctly, to help keep them on the roof and prevent them from blowing off in high wind.




Cool Roof Requirement Compliance.

Cambridge Cool Colors Plus shingles are engineered to comply with California's Title 24, Part 6, cool roof requirements. Specific shingles in the series further meet or exceed the more stringent Los Angeles City and County roof reflectance requirements of SRI 16 or greater.

The Only Time it's Good to be Tacky.

You want your new shingles to stay put. If the wind lifts them up, water can sneak in underneath and may cause a leaky roof. Our shingles have IKO FastLock® sealant strips along their bottom edges. When activated by the sun's heat, these strips get extra-tacky and create a strong bond to ensure maximum protection against wind uplift, blow-off and water penetration.



This Shingle's Core Strength is its Fiberglass Mat.

Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with colored granules. It's heavy-duty for exceptional durability and structural integrity.



THE IKO ADVANTAGE	Limited Warranty ³	Limited Lifetime ⁷	PRODUCT SPECIFICATIONS⁵	Length	40 7/8 in (1,038 mm)	STANDARDS⁶	ASTM D3462
	Iron Clad Protection ³	10 Years		Width	13 3/4 in (349 mm)		ASTM D3018
	Limited Wind Warranty ³	110 mph (177 km/h)		Exposure	5 7/8 in (149 mm)		ASTM D7158 – Class H
	Limited High Wind Warranty Upgrade ^{3,4}	130 mph (210 km/h)		Coverage Per Bundle	33 1/3 ft ² (3.1 m ²)		ASTM D3161 – Class F
	Blue-Green Algae Resistant ^{3,8}	Yes (Dual Grey Only)		Shingles Per Square	60		ASTM E108 / UL 790 – Class A
							CRR-1 SRI of 20+

PROFORMAX™ INTEGRATED ROOFING ACCESSORIES

IKO ARCHITECTURAL SHINGLE PRODUCT	DECK PROTECTION	SYNTHETIC UNDERLAYMENT	STARTERS	CAP SHINGLES
Cambridge® Cool Colors Plus	IKO StormShield	IKO Stormtite	IKO Leading Edge Plus	IKO UltraHP

IMPORTANT! To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

Note: Product and color availability may vary by region. Please contact IKO for details. ³See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. ⁴High Wind Application is required. ⁵All values shown are approximate. ⁶Products developed with reference to these Standards. ⁷Lifetime means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the Owner or the first transferee owns the building on which the shingles were installed. ⁸Only Dual Grey features an algae-resistant granule that helps inhibit discoloration caused by blue-green algae.

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.



To find out more about CAMBRIDGE COOL COLORS PLUS shingles or additional IKO products, please talk to an IKO sales representative, or contact IKO directly at **1-888-IKO-ROOF (1-888-456-7663)**
 Visit us online at: **IKO.COM**

