



**Cambridge**<sup>®</sup> *COOL COLORS  
+PLUS*  **20+**  
**SRI**

IKO.COM



IKO CAMBRIDGE COOL COLORS PLUS ARCHITECTURAL SHINGLES



Before the first lullaby; before training wheels, summer camps and the big job promotion; ahead of summer vacations and high school graduations – there was one thing that mattered most: safeguarding your family members by providing a roof over their heads.



## Many of life's most memorable moments unfold under the UNCOMPROMISING PROTECTION of your roof.

Since 1951, IKO has been there for North American families just like yours, quietly enduring the elements to protect families, homes and everything dear – while providing the luxury of not having to worry.

Now that it's time to replace your roof, don't take it for granted. Keeping your family comfortable and safe is just as important now as ever. And it's important to choose roofing products that not only look great, but also can go the distance. At IKO, four generations of family-owned-and-operated experience go into every product we make. The result? **Beauty you can see. Quality you can feel. And performance you can trust. Because at IKO, it's not just roofing. It's roofing elevated.**



# Elevate your home's look and help reduce its carbon footprint.

IKO has the answer for homeowners who want increased solar reflectance<sup>1</sup> yet seek to elevate their home's appearance, its curb appeal and potentially its value—all at an affordable price. IKO Cambridge Cool Colors Plus architectural laminated shingles can boost your roof's solar reflectivity by 25% over the California's Title 24, Part 6, minimum standard of SRI 16 for steep sloped roofs. To achieve an SRI of 20 or greater<sup>2</sup>, IKO embeds surface granules that are specially designed with infrared-reflective pigments to transmit less of the sun's solar energy or radiant heat into your home's attic. This helps keep your home cooler and more energy efficient. How much you can potentially save will depend on your location, climate, HVAC, utility rates and other factors.

<sup>1</sup>Solar reflectance is the roof's ability to reflect solar energy. SRI values range from 0 to 100 – and the higher the SRI, the better the roofing material's ability to reduce heat transfer into the home. Solar Reflectance Index (SRI) is calculated by ASTM E1980. <sup>2</sup>Shingles with an SRI of 20+ can be used to comply in lieu of meeting the aged solar reflectance and thermal emittance requirements. For further details and to determine if the LA City and County requirements apply to your roof, please check with your local building department or visit the LA County website.

## WEATHERWOOD

CRRP PRODUCT ID 1214-0013

## HARVARD SLATE

CRRP PRODUCT ID 1214-0012

## DUAL BROWN

CRRP PRODUCT ID 1214-0011

## GRAPHITE BLACK

CRRP PRODUCT ID 1214-0010



# Cambridge Cool Colors Plus Shingles.

Our top-of-the-line COOL COLORS PLUS roofing shingles can provide eye-popping contrast or help your home blend harmoniously into its natural surroundings. Either way, they offer an SRI of 20 or greater, so your energy bill can look more beautiful too.



**SAND DUNE**

CRRC PRODUCT ID 1214-0008

**CANYON OAK**

CRRC PRODUCT ID 1214-0009



**WEATHERWOOD**

*Rustic, informal, laid-back.*

**PERFECT PAIRINGS:** Log, beige stone or brick (especially red) facings; brown trim.

**HARVARD SLATE**

*Historic, eloquent, majestic, stately.*

**PERFECT PAIRINGS:** White or grey stone, brick or siding; black, white or grey trim.

**SAND DUNE**

*Down-to-earth, relaxed, casual.*

**PERFECT PAIRINGS:** Log, wood siding, stone or brick facings; brown or black trim.

**CANYON OAK**

*Welcoming, traditional, handsome.*

**PERFECT PAIRINGS:** Log, wood siding, stone or brick facings; brown or black trim.

**DUAL BROWN**

*Earthy, organic, rustic, laid-back, casual.*

**PERFECT PAIRINGS:** Log, beige stone or brick (especially red) facings, brown trim.

**GRAPHITE BLACK**

*Dramatic, elegant, contemporary.*


**PERFECT PAIRINGS:** Grey, cream or neutral siding, stone or masonry; white, grey or black trim.





## IKO Cambridge Cool Colors Plus Architectural Laminated Shingles

These shingles are available in some of our most popular color blends, offer an SRI of 20+ and remain an affordable choice in California locations where local roof reflectance requirements demand an SRI of 16+. If blue-green algae resistance is important in your area, you might opt for the Dual Grey color blend that features IKO's algae resistant granules.



### AMBER BURST

CRRG PRODUCT ID 1214-0006



### ARCTIC WHITE

CRRG PRODUCT ID 1214-0003

#### AMBER BURST

*Sunny, casual, inviting.*

**PERFECT PAIRINGS:** Log, beige stone or brick facings, brown or white trim.

#### ARCTIC WHITE

*Contemporary, bold, brilliant.*

**PERFECT PAIRINGS:** White, grey or beige siding, stucco, white or grey trim.

#### DUAL GREY

*Upscale, from casual comfort to modern chic.*

**PERFECT PAIRINGS:** White or grey stone, brick or siding; black, white or grey trim.



### DUAL GREY<sup>7</sup>

CRRG PRODUCT ID 1214-0002



**BEAUTY** You Can See.  
**QUALITY** You Can Feel.  
**PERFORMANCE** You Can Trust.

Every shingle in the IKO Cambridge Cool Colors Plus collection series is built heavy-duty. You can see and feel the difference. Touch one. Heft its weight. Feel how the quality is built right in.

**Blow-Off Protection.**

Printed nail line guides installers to position and fasten the shingles correctly, to help keep them on the roof and prevent them from blowing off in high wind.



**Cool Roof Requirement Compliance.**

Cambridge Cool Colors Plus shingles are engineered to comply with California's Title 24, Part 6, cool roof requirements. Specific shingles in the series further meet or exceed the more stringent Los Angeles City and County roof reflectance requirements of SRI 16 or greater.

**The Only Time it's Good to be Tacky.**

You want your new shingles to stay put. If the wind lifts them up, water can sneak in underneath and may cause a leaky roof. Our shingles have IKO FastLock® sealant strips along their bottom edges. When activated by the sun's heat, these strips get extra-tacky and create a strong bond to ensure maximum protection against wind uplift, blow-off and water penetration.



**This Shingle's Core Strength is its Fiberglass Mat.**

Our fiberglass mat is coated top and bottom with weathering asphalt, then surfaced with colored granules. It's heavy-duty for exceptional durability and structural integrity.



|                          |   |                               |   |                     |  |                              |                              |
|--------------------------|---|-------------------------------|---|---------------------|--|------------------------------|------------------------------|
| <b>THE IKO ADVANTAGE</b> | Limited Warranty <sup>3</sup>                     | Limited Lifetime <sup>7</sup> | <b>PRODUCT SPECIFICATIONS<sup>5</sup></b> | Length              | 40 7/8 in (1,038 mm)                         | <b>STANDARDS<sup>6</sup></b> | ASTM D3462                   |
|                          | Iron Clad Protection <sup>3</sup>                 | 10 Years                      |   | Width               | 13 3/4 in (349 mm)                           |                              | ASTM D3018                   |
|                          | Limited Wind Warranty <sup>3</sup>                | 110 mph (177 km/h)            |   | Exposure            | 5 7/8 in (149 mm)                            |                              | ASTM D7158 – Class H         |
|                          | Limited High Wind Warranty Upgrade <sup>3,4</sup> | 130 mph (210 km/h)            |   | Coverage Per Bundle | 33 1/3 ft <sup>2</sup> (3.1 m <sup>2</sup> ) |                              | ASTM D3161 – Class F         |
|                          | Blue-Green Algae Resistant <sup>3,8</sup>         | Yes (Dual Grey Only)          |   | Shingles Per Square | 60   |                              | ASTM E108 / UL 790 – Class A |
|                          |   |                               |   |                     |  |                              | CRR-1 SRI of 20+             |

**PROFORMAX™** INTEGRATED ROOFING ACCESSORIES

| IKO ARCHITECTURAL SHINGLE PRODUCT | DECK PROTECTION | SYNTHETIC UNDERLAYMENT | STARTERS              | CAP SHINGLES |
|-----------------------------------|-----------------|------------------------|-----------------------|--------------|
| Cambridge® Cool Colors Plus       | IKO StormShield | IKO Stormtite          | IKO Leading Edge Plus | IKO UltraHP  |

**IMPORTANT!** To ensure complete satisfaction, please view several full-size shingles and an actual roof installation prior to final color selection as the shingle swatches and photography shown online, in our brochures and in our **ROOFViewer®** tool may not accurately reflect shingle color and do not fully represent the entire color blend range nor the impact of sunlight.

**Note:** Product and color availability may vary by region. Please contact IKO for details. <sup>3</sup>See Limited Warranty at IKO.com for complete terms, conditions, restrictions and application requirements. Shingles must be applied in accordance with application instructions and local building code requirements. <sup>4</sup>High Wind Application is required. <sup>5</sup>All values shown are approximate. <sup>6</sup>Products developed with reference to these Standards. <sup>7</sup>Lifetime means the period of time commencing on the date of the completion of the installation of the shingles on the building, and continuing so long as the Owner or the first transferee owns the building on which the shingles were installed. <sup>8</sup>Only Dual Grey features an algae-resistant granule that helps inhibit discoloration caused by blue-green algae.

The information in this literature is subject to change without notice. We assume no responsibility for errors that may appear in this literature.



To find out more about CAMBRIDGE COOL COLORS PLUS shingles or additional IKO products, please talk to an IKO sales representative, or contact IKO directly at **1-888-IKO-ROOF (1-888-456-7663)**  
 Visit us online at: **IKO.COM**

